

## Approvals and conformities

RENAULT

Solvent-based cleaner to prepare surfaces for bonding. The SOCOSOLV FD UV was specially designed to allow the cleaning to be checked thanks to UV tracers that show where the product was applied using a UV lamp. As SOCOSOLV FD UV is colourless in normal light, any stains on the parts where it was applied are invisible to the naked eye.

- This effective cleaner and degreaser guarantees a surface free from impurities. Very fast evaporation.
- Its UV tracers allow verification with a UV lamp. Non-corrosive on metals, including light alloys.

## USES

Preparing surfaces in bonding workshops or on assembly lines.

- Specially designed to prepare surfaces for bonding or applying sealants to all types of materials.

Can be used on painted and unpainted surfaces, composites, glass or polycarbonate.

## DIRECTIONS FOR USE

**SOCOSOLV FD UV** is available as presaturated wipes only.

For optimum detection and to ensure the safety of your personnel during use, a 365 nm UV-A lamp such as the CLARITY™ 365 \* UV-A LED flashlight is recommended.

\* Please contact us for BABBCO products and equipment for non-destructive testing.

## TECHNICAL CHARACTERISTICS

Appearance ..... clear liquid  
Density ..... (at 20°C/68°F) 0.823  
Evaporation rate (NFT 30301) (n-Butyl acetate=1) ..... 1  
Halogenated hydrocarbon content ..... zero  
Flash point ..... (ISO 13736) 17.5°C/ 62.6°F

1/2

SOCOSOLV\_FD\_UV\_en / 2021-12-07 / BC - FS

## ***PRECAUTIONS FOR USE AND STORAGE***

---

For more information regarding the danger of the product, please consult the product safety data sheet according to local regulation.

For professional use only.

**This technical data sheet replaces and cancels the previous one.**

The above details have been compiled to the best of our knowledge. They have, however, an indicative value only and we therefore make no warranties and assume no liability in connection with any use of this information, particularly if a third party's rights are affected by the use of our products. The above information has been compiled based upon tests carried out by SOCOMORE. All data is subject to change as Socomore deems appropriate. The data given is not intended to substitute for any testing you must conduct in order to determine the suitability of the product for your particular purposes. Please check your local legislation applicable to the use of this product. Should you need any further information please contact us.