Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: Fluorescent magnetic ink B 101 C
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Magnetic ink
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Supplier:

BabbCo SA SherwinBabbCo

15, rue des Frères Lumière Z.I. des EBISOIRES

78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82 Tel: +33 (0)1.30.80.81.98

Fax: +33 (0)1.30.80.81.99

e-mail: babb-co@orange.fr e-mail: SherwinBabbco@orange.fr

http://www.babbco.fr

- · Manufacturer: BabbCo SA (Plaisir France) Tel: +33 (0)1 30 80 81 82
- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible,

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling:

Naphta hydrotreated heavy

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

Dispose of contents/container in accordance with local regulations. P501

(Contd. on page 2)

Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 1)

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards See Chapters 3 and 15 for details.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- * Description: Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:**

· Additional information:

Naphtha (petroleum), hydrotreated heavy: Note P applies to this product:

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Foam

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

No further relevant information available.

- 5.3 Advice for firefighters
- Special protective equipment for fire-fighters:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)

When using a dry powder:

- Recommended for particulate filters (type P)
- · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Natural rubber, NR
- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses

Body protection:

Protective work clothing

(Contd. on page 4)

Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 3)

Not applicable.

179-213 °C (CAS: 64742-48-9 Naphta hydrotreated heavy)

Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid

Colour: Yellow fluorescent
 Odour: Characteristic
 Odour threshold: Not determined.

Melting point/freezing point: -25 °C

Boiling point or initial boiling point and boiling range

· Flammability

Lower and upper explosion limit

• Lower: 0.7 Vol % (CAS: 64742-48-9 Naphta hydrotreated heavy) • Upper: 6 Vol % (CAS: 64742-48-9 Naphta hydrotreated heavy)

• Flash point: 63 °C (ASTM D-93)

• chemical heat of combustion > 30 kJ/g

* Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.pH Not determined.

Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water at 20 °C: 0.04 g/l

Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 0.5 hPa (CAS: 64742-48-9 Naphta hydrotreated heavy)

Density and/or relative density

• **Density at 20 °C:** ~0.8 g/cm³ (ASTM D-1298)

Relative density

Vapour density

Not determined.

Not determined.

9.2 Other information

Appearance:

· Form: Liquid

Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: >235 °C (CAS: 64742-48-9 Naphta hydrotreated heavy)

Explosive properties: Product does not present an explosion hazard.

Solvent content:

 Organic solvents:
 99.8 %

 VOC (1999/13/EG)
 99.77 %

 Solids content:
 0.2 %

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives not applicable Flammable gases not applicable Aerosols not applicable Oxidising gases not applicable Gases under pressure not applicable Flammable liquids not applicable Flammable solids not applicable · Self-reactive substances and mixtures not applicable **Pyrophoric liquids** not applicable Pyrophoric solids not applicable

(Contd. on page 5)

Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 4)

· Self-heating substances and mixtures

not applicable

Substances and mixtures, which emit flammable gases in

contact with water not applicable
Oxidising liquids not applicable
Oxidising solids not applicable
Organic peroxides not applicable

Corrosive to metals not applicable
Desensitised explosives not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- · 10.3 Possibility of hazardous reactions Reacts with oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Information on hazardous ingredients
- LD/LC50 values relevant for classification:

CAS: 64742-48-9 Naphta hydrotreated heavy

 Oral
 LD50
 >15,000 mg/kg (rat)

 Dermal
 LD50
 >3,000 mg/kg (rabbit)

- · Skin corrosion/irritation repeated exposure may cause skin dryness or cracking
- · Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

Information on hazardous ingredients

CAS: 64742-48-9 Naphta hydrotreated heavy

LC50/ 96 h >100 mg/l (Fish)

EC50/ 48 h >1,000 mg/l (daphnia)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

Revision date: 21.05.2021 v. 1 Date of issue: 11.03.2021

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- Uncleaned packaging:
- **Recommendation:**

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

SECTION 14: Transport information

is a contract of the contract	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not applicable
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not applicable
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	not applicable
· 14.4 Packing group · ADR, IMDG, IATA	not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to II instruments	MO Not applicable.
UN "Model Regulation":	not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

(Contd. on page 7)

Revision date: 21.05.2021 Date of issue: 11.03.2021 v. 1

Trade name: Fluorescent magnetic ink B 101 C

(Contd. of page 6)

Relevant phrases

May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Contact: BabbCo SA
- · Prepared by Babb Co S.A.
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised $\dot{\text{S}}\textsc{ystem}$ of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

GB