

**Safety Data Sheet  
CORROTEK - P43465-NA**

Safety Data Sheet dated 9/12/2018, version 4

**1. IDENTIFICATION**

Product identifier

Mixture identification:

Trade name: CORROTEK

Other means of identification:

SDS code: P43465-NA

Recommended use of the chemical and restrictions on use

Recommended use:

Cleaner

Industrial uses

Professional uses

Restrictions on use:

No uses advised against are identified.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 /  
csr-na@socomore.com/ Fax Number: 817-335-2405Distributor: SOCOMORE S.A.S. - Zone Industrielle du Prat - CS 23707 - 56037 VANNES  
CEDEX - France - Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 20 26Distributor: Socomore Ltd - 5, Coe Avenue - Loughborough - Leicestershire - LE11 4SE - UK  
- Tel: +44 1509 262040 - Fax: +44 1509 262046Distributor: Socomore Iberia - Calle Diputacio, 260 - 08007 Barcelona - Espana - Tel: +34 917  
693 962 - Fax: +34 902 908 966Distributor: MagChem Inc. 1271, rue Ampere, suite 101, Boucherville, QC, J4B 5Z5 Canada -  
Tel: 1-450 641 8500 - Fax: 1-450 655 1717Distributor: Socomore GmbH - c/o MAZARS GmbH - Theodor-Stern-Kai 1 - 60596 Frankfurt  
am Main - Deutschland - Tel: +49 (0)89 20 70 28 83 - Fax: +49 (0) 89 88 91 98 16Distributor: Socomore Trading Shanghai - 355 East Kang Qiao Road - Kang Qiao Industrial  
Zone - Pudong - 201315 Shanghai - Tel: 862158131133 - Fax: 862158131933Dystrybutor : SOCOMORE SPzoo - Ul. Piekna 18, 00-549 Warszawa Polska - Tel : +48 608  
454 114 - Fax : +48 (22) 621 61 09

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number

CHEMTEL: 1-800-255-3924 (USA) / CANUTEC: 1-613-996-6666 (CANADA)

**2. HAZARD(S) IDENTIFICATION**

Classification of the chemical



Danger, Eye Dam. 1, Causes serious eye damage.



Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.

Label elements

Hazard pictograms:



Danger

## Safety Data Sheet

### CORROTEK - P43465-NA

**Hazard statements:**

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:**

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

&gt;= 7% - &lt; 10% ORTHOBORIC ACID, COMPOUND WITH 2,2'-IMINODIETHANOL

CAS: 67952-33-4, EC: 267-886-0



A.3/2A Eye Irrit. 2A H319

&gt;= 3% - &lt; 5% 2,2'-IMINODIETHANOL; DIETHANOLAMINE

REACH No.: 01-2119488930-28, Index number: 603-071-00-1, CAS: 111-42-2, EC: 203-868-0



A.9/2 STOT RE 2 H373



A.2/2 Skin Irrit. 2 H315



A.3/1 Eye Dam. 1 H318



A.1/4/Oral Acute Tox. 4 H302

---

### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**Safety Data Sheet**  
**CORROTEK - P43465-NA**

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Swelling.

Blisters.

Intense burns and penetrating ulcers in the skin.

Irritation of the digestive system.

Abdominal pain.

Nausea

Vomiting

Diarrhea.

Risk of respiratory tract irritation.

Dry/sore throat.

Cough

Headache

Difficulty breathing.

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

**5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Remove persons to safety.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

## Safety Data Sheet

### CORROTEK - P43465-NA

Wash with plenty of water.

---

#### 7. HANDLING AND STORAGE

##### Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not use on extensive surface areas in premises where there are occupants.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

##### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

---

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Control parameters

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

- OEL Type: ACGIH - TWA(8h): 1 mg/m<sup>3</sup> - Notes: (IFV), Skin, A3 - Liver and kidney dam
- OEL Type: National - TWA: 15 mg/m<sup>3</sup>, 3 ppm - Notes: France
- OEL Type: National - TWA(8h): 2 mg/m<sup>3</sup>, 0.46 ppm - Notes: Netherlands
- OEL Type: National - TWA(8h): 2 mg/m<sup>3</sup>, 0.46 ppm - Notes: Belgium
- OEL Type: National - TWA: 0.2 ppm - Notes: DOW IHG, skin

##### DNEL Exposure Limit Values

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

- Worker Industry: 1 mg/m<sup>3</sup> - Consumer: 0.25 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
- Worker Industry: 0.13 mg/kg - Consumer: 0.07 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
- Consumer: 0.06 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
- Consumer: 33 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

##### PNEC Exposure Limit Values

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

- Target: Fresh Water - Value: 0.0022 mg/l
- Target: Marine water - Value: 0.00022 mg/l
- Target: Freshwater sediments - Value: 0.019 mg/kg
- Target: Marine water sediments - Value: 0.0019 mg/kg
- Target: Soil (agricultural) - Value: 0.00108 mg/kg
- Target: Microorganisms in sewage treatments - Value: 100 mg/l
- Target: Sporadic discharge - Value: 0.022 mg/l

##### Appropriate engineering controls:

None

##### Individual protection measures

## Safety Data Sheet

### CORROTEK - P43465-NA

Eye protection:

- Safety goggles (EN 166)
- Face protection shield. (EN 166)
- Use close fitting safety goggles, don't use eye lens.

Protection for skin:

- Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

- Suitable gloves type: NF EN374
- NR (natural rubber, natural latex).
- NBR (nitrile rubber).
- PVA (Polyvinyl alcohol).
- PVC (polyvinyl chloride).
- Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

- Use adequate protective respiratory equipment.

Thermal Hazards:

- None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Appearance and colour:	Clear colourless to yellow liquid	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	9,8	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	100 °C/ 212°F	--	--
Flash Point (°F):	N.A.	--	--
Flash point (°C):	Not Relevant	--	--
Evaporation rate:	Not Relevant	--	--
Solid/gas flammability:	Not Relevant	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	17.5	--	--
Vapour density:	0.67	--	--
Relative density:	1	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

## Safety Data Sheet

### CORROTEK - P43465-NA

#### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

## 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

#### Chemical stability

Stable under normal conditions

#### Possibility of hazardous reactions

None

#### Conditions to avoid

Stable under normal conditions.

#### Incompatible materials

None in particular.

#### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

#### Toxicological information of the product:

N.A.

#### Toxicological information of the main substances found in the product:

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

#### a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 1600 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 12.970 mg/kg

Test: LC0 - Route: Inhalation - Species: Rat = 0.2 mg/l - Duration: 8h

#### f) carcinogenicity:

Test: NOAEL - Route: Skin - Species: Rat = 32 MGKGBWDAY - Notes: 103 weeks, LOAEL = 40 mg/kg bw/jour

#### g) reproductive toxicity:

Test: NOAEC - Species: Rat = 300 MGKGBWDAY - Notes: daily weeks, fertility

Test: NOAEC - Species: Rat = 150 MGKGBWDAY - Notes: 6-15 days, development

Test: NOAEL - Species: Rat = 50 mg/l - Notes: 6-15 days, development

#### Substance(s) listed on the NTP report on Carcinogens:

None.

#### Substance(s) listed on the IARC Monographs:

2,2'-IMINODIETHANOL; DIETHANOLAMINE - Group 2B.

#### Substance(s) listed as OSHA Carcinogen(s):

None.

#### Substance(s) listed as NIOSH Carcinogen(s):

None.

## Safety Data Sheet

### CORROTEK - P43465-NA

---

#### 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.  
2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

##### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1460 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 55 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 2.2 mg/l - Duration h: 96 - Notes:

Pseudokirchneriella subcapitata

Endpoint: NOEC - Species: Daphnia = 0.78 mg/l - Duration h: 504 - Notes: LOEC : 1,56 mg/l

Endpoint: EC10 - Species: Microorganisms > 1000 mg/l - Duration h: 0.5

##### Persistence and degradability

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

Biodegradability: Biodegradability rate - Test: OECD 301F - Duration: 28 days - %: 93 - Notes: N.A.

##### Bioaccumulative potential

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

Log Pow - Test: N.A. -2.18 - Duration: N.A. - Notes: N.A.

##### Mobility in soil

2,2'-IMINODIETHANOL; DIETHANOLAMINE - CAS: 111-42-2

Log Koc - Test: N.A. 0 or -1.1472 - Duration: N.A. - Notes: N.A.

Volality (H: Henry's Law Constant) - Test: N.A. 0.000004 Pa.m<sup>3</sup>/mol - Duration: N.A. - Notes: 25°C

##### Other adverse effects

No harmful effects expected.

---

#### 13. DISPOSAL CONSIDERATIONS

##### Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

#### 14. TRANSPORT INFORMATION

##### UN number

Not classified as dangerous in the meaning of transport regulations.

##### UN proper shipping name

N.A.

##### Transport hazard class(es)

N.A.

##### Packing group

N.A.

##### Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

##### Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

##### Special precautions

N.A.

## Safety Data Sheet

### CORROTEK - P43465-NA

---

#### 15. REGULATORY INFORMATION

##### USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

ORTHOBORIC ACID, COMPOUND WITH 2,2'-IMINODIETHANOL is listed in TSCA Section 8b

2,2'-IMINODIETHANOL; DIETHANOLAMINE is listed in TSCA Section 8b, Section 8d HSDR.

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances: no substances listed.

Section 304 - Hazardous substances: 2,2'-IMINODIETHANOL; DIETHANOLAMINE.

Section 313 - Toxic chemical list: 2,2'-IMINODIETHANOL; DIETHANOLAMINE.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA: 2,2'-IMINODIETHANOL; DIETHANOLAMINE -

Reportable quantity: 100 pounds.

Reportable quantity for mixture: 2380.952381 pounds.

CAA - Clean Air Act

CAA listed substances:

2,2'-IMINODIETHANOL; DIETHANOLAMINE is listed in CAA Section 111, Section 112(b) - HAP, Section 112(b) - HON.

CWA - Clean Water Act

CWA listed substances:

None.

##### USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

2,2'-IMINODIETHANOL; DIETHANOLAMINE - Listed as carcinogen.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

2,2'-IMINODIETHANOL; DIETHANOLAMINE.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

2,2'-IMINODIETHANOL; DIETHANOLAMINE.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

2,2'-IMINODIETHANOL; DIETHANOLAMINE.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

---

#### 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

Safety Data Sheet dated 9/12/2018, version 4



## Safety Data Sheet

### CORROTEK - P43465-NA

**Disclaimer:**

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average