according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

Version Date of last issue: 15.11.2019 Revision Date: SDS Number: 102000040841 Date of first issue: 03.08.2017 1.8 10.02.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : DILUANT DL 1511 / 5 L

Identification of the article : 2013682

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Thinner

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : MÄDER AERO

Rue Jean Baptiste Réveillon 2

FR - 61300 L'AIGLE

Telephone

Telefax

E-mail address of person responsible for the SDS

products-safety.mader-france@mader-group.com

1.4 Emergency telephone number

Emergency telephone

number

ORFILA (INRS) +33(0)1 45 42 59 59 Mr Yves ROMBAUT

+33(0)6 88 70 19 82/ +33(0)3 20 12 79 50

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word Warning

Hazard statements H315 Causes skin irritation.

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Thinner

## Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
2-Butoxyethanol	111-76-2	Acute Tox. 4; H302	>= 10 - < 20
	203-905-0	Acute Tox. 4; H332	
	603-014-00-0	Acute Tox. 4; H312	
	01-2119475108-36	Skin Irrit. 2; H315	
		Eye Irrit. 2; H319	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

Date of last issue: 15.11.2019 Version Revision Date: SDS Number: 102000040841 Date of first issue: 03.08.2017 1.8 10.02.2020

> If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact Immediately flush eye(s) with plenty of water.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes skin irritation.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment No information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : None

ucts

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

No conditions to be specially mentioned.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

Not applicable

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : No data available

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material.

Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor- : Protect against freezing.

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

Version **Revision Date:** SDS Number: Date of last issue: 15.11.2019 10.02.2020 102000040841 Date of first issue: 03.08.2017 1.8

age conditions

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
2-Butoxyethanol	111-76-2	TWA	20 ppm 98 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	50 ppm 246 mg/m3	2000/39/EC	
		TWA	25 ppm	GB EH40	
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL	50 ppm	GB EH40	

## **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
2-Butoxyethanol	111-76-2	butoxyacetic acid:	After shift	GB EH40
		240 Millimoles per		BAT
		mole Creatinine		
		(Urine)		

## 8.2 Exposure controls

## Personal protective equipment

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

The suitability for a specific workplace should be discussed Remarks

with the producers of the protective gloves.

Skin and body protection Impervious clothing

Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : > 36 °C

Flash point : ca. 65 °C

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 1.000 hPa (50 °C)

Relative vapour density : No data available

Density : ca. 0,99 g/cm3 (23 °C)

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 20,4 mm2/s (40 °C)

Explosive properties : No data available

Oxidizing properties : No data available

according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

9.2 Other information

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage conditions. No decomposition if stored and applied as directed.

## 10.2 Chemical stability

No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

## 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

**Components:** 

2-Butoxyethanol:

Acute inhalation toxicity : Acute toxicity estimate (Rat): 11 mg/l

Test atmosphere: vapour

Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Causes serious eye irritation.

**Product:** 

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

according to Regulation (EC) No. 1907/2006



## **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

Remarks : No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

## **Product:**

Additional ecological infor-

mation

No data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 10 %, 99 g/l

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 93,63 %, 926,97

ı/c

according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

VOC content excluding water

## Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

## 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin. H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT : UK. Biological monitoring guidance values

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New

according to Regulation (EC) No. 1907/2006



# **DILUANT DL 1511 / 5 L**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 15.11.2019

 1.8
 10.02.2020
 102000040841
 Date of first issue: 03.08.2017

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method Eye Irrit. 2 H319 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN