

# Safety Data Sheet

## HDL 73W

Safety Data Sheet date: 10/23/2023, version 2

### 1. IDENTIFICATION

#### Product identifier

Mixture identification:  
Trade name: HDL 73W  
Other means of identification:  
SDS code: P43440

#### Recommended use of the chemical and restrictions on use

Recommended use:  
Cleaner  
Industrial uses  
Restrictions on use:  
No uses advised against are identified.

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

##### Manufacturers:

Socomore SASU  
Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France  
Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26  
Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

##### Distributors:

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 / csr-na@socomore.com/ Fax Number: 817-335-2405  
Socomore Canada Limited - Unit 204, 6741 Cariboo Road, Burnaby V3N 4A3, British Columbia, Canada / Email: csr-ca@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701

#### Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

#### Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA); CANUTEC:  
1-613-996-6666 (CANADA)  
Socomore Canada Limited - +1-604-420-7707 (Monday-Friday; 7:30 am - 5:00 pm)

### 2. HAZARD(S) IDENTIFICATION

#### Classification of the chemical

- ⚠ Warning, Skin Irrit. 2, Causes skin irritation.
- ⚠ Warning, Eye Irrit. 2A, Causes serious eye irritation.
- ⚠ Warning, STOT SE 3, May cause respiratory irritation.

#### Label elements

Hazard pictograms:



## Safety Data Sheet

### HDL 73W

#### Warning

#### Hazard statements:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

#### Precautionary statements:

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/clothing and eye/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water/...
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with applicable regulations.

#### Special Provisions:

None

#### Hazards not otherwise classified identified during the classification process:

None

#### Ingredient(s) with unknown acute toxicity:

None.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

N.A.

#### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 20% - < 25% TRIAMMONIUM CITRATE

REACH No.: 01-2120831663-55, CAS: 3458-72-8, EC: 222-394-5

⚠ A.3/2A Eye Irrit. 2A H319

⚠ A.8/3 STOT SE 3 H335

⚠ A.2/2 Skin Irrit. 2 H315

>= 3% - < 5% SODIUM XYLENESULPHONATE

CAS: 1300-72-7, EC: 215-090-9

⚠ A.3/2A Eye Irrit. 2A H319

>= 1% - < 3% Citric acid

REACH No.: 01-2119457026-42, CAS: 77-92-9, EC: 201-069-1

## Safety Data Sheet

### HDL 73W

⚠ A.3/2A Eye Irrit. 2A H319

---

#### 4. FIRST-AID MEASURES

##### Description of necessary measures

##### In case of skin contact:

Immediately take off all contaminated clothing.  
Remove contaminated clothing immediately and dispose of safely.  
After contact with skin, wash immediately with soap and plenty of water.

##### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.

##### In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

##### In case of Inhalation:

In case of inhalation, consult a doctor immediately and show the packing or label.

##### Most important symptoms/effects, acute and delayed

None

##### Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media:

Water.  
Carbon dioxide (CO<sub>2</sub>).

##### Unsuitable extinguishing media

None in particular.

##### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.

##### Hazardous combustion products:

None

**Explosive properties:** N.A.

**Oxidizing properties:** N.A.

##### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## Safety Data Sheet

### HDL 73W

Provide adequate ventilation.  
Use appropriate respiratory protection.  
See protective measures under point 7 and 8.

#### **Methods and materials for containment and cleaning up**

Wash with plenty of water.

---

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not use on extensive surface areas in premises where there are occupants.  
Use localized ventilation system.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.  
See also section 8 for recommended protective equipment.  
Advice on general occupational hygiene:  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.

### **Conditions for safe storage, including any incompatibilities**

Always keep in a well ventilated place.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Cool and adequately ventilated.  
Storage temperature:  
Store at ambient temperature.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

No occupational exposure limit available

### **DNEL Exposure Limit Values**

SODIUM XYLENESULPHONATE - CAS: 1300-72-7

Worker Professional: 7.6 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 53.6 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 3.8 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 13.2 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 3.8 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

### **PNEC Exposure Limit Values**

SODIUM XYLENESULPHONATE - CAS: 1300-72-7

Target: Fresh Water - Value: 0.23 mg/l

## Safety Data Sheet

### HDL 73W

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: PNEC intermittent - Value: 2.3 mg/l

Citric acid - CAS: 77-92-9

Target: Fresh Water - Value: 0.44 mg/l

Target: Freshwater sediments - Value: 0.044 mg/l

Target: Freshwater sediments - Value: 7.52 mg/kg

Target: Marine water sediments - Value: 0.752 mg/kg

Target: Soil (agricultural) - Value: 29.2 mg/kg

#### Appropriate engineering controls:

None

#### Individual protection measures

Eye protection:

Safety goggles (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Face protection shield.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type: NF EN374

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Thermal Hazards:

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Light amber	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	6.1	ISO 4316, ASTM E70	--
Melting point / freezing point:	Not Relevant	--	--

## Safety Data Sheet

### HDL 73W

Initial boiling point and boiling range:	100 ?C	--	water base
Flash Point (°F):	N.A.	1	--
Flash point (°C):	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	liquid
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1.16	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--

## Safety Data Sheet

### HDL 73W

Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Stable under normal conditions

### Possibility of hazardous reactions

None

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Toxicological information of the product:

N.A.

### Toxicological information of the main substances found in the product:

SODIUM XYLENESULPHONATE - CAS: 1300-72-7

Acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 6.41 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 7200 mg/kg

Reproductive toxicity:

Test: NOAEL - Species: Rat > 936 mg/kg

Citric acid - CAS: 77-92-9

Acute toxicity:

Test: LD50 - Route: Skin - Species: Rat = 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3000 mg/kg

Test: LD50 - Route: Oral - Species: Mouse = 5400 mg/kg - Source: OECD, 401

Test: ATE - Route: Oral = 5400 mg/kg

Test: LD50 - Route: Inhalation - Species: Rat = 725 mg/kg

Test: LD50 - Route: Inhalation - Species: Mouse = 940 mg/kg

Test: LD50 - Route: Inhalation (dust, mist) - Species: guinea pig approx. 75 mg/l - Duration: 3'

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 4000 mg/kg - Duration: 10 days - Notes: mg/kg/day, étude de toxicité chronique 2 ans

Test: LOAEL

- Route: Oral - Species: Rat = 8000 mg/kg - Duration: 10 days

## Safety Data Sheet

### HDL 73W

**Substance(s) listed on the NTP report on Carcinogens:**

None.

**Substance(s) listed on the IARC Monographs:**

None.

**Substance(s) listed as OSHA Carcinogen(s):**

None.

**Substance(s) listed as NIOSH Carcinogen(s):**

None.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

SODIUM XYLENESULPHONATE - CAS: 1300-72-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 230 mg/l - Duration h: 96 - Notes: Algues

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 31 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 1000 mg/l - Duration h: 3

Citric acid - CAS: 77-92-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Daphnia = 1535 mg/l - Notes: Daphnia magna, OECD 202

Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 48 - Notes: Leuciscus idus; OECD 203

Endpoint: EC50 - Species: Daphnia = 120 mg/l - Duration h: 72

Endpoint: EC50 - Species: bacteria > 100000 mg/l - Duration h: 16 - Notes: Pseudomonas putida

b) Aquatic chronic toxicity:

Endpoint: EC0 - Species: Algae = 425 mg/l - Notes: Scenedesmus quadricauda

Endpoint: NOEC - Species: Algae = 425 mg/l - Duration h: 192 - Notes: Scenedesmus quadricauda

### Persistence and degradability

TRIAMMONIUM CITRATE - CAS: 3458-72-8

Biodegradability: Biodegradable

Citric acid - CAS: 77-92-9

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 97

Biodegradability: Readily biodegradable - Test: OECD 301E - Duration: 19 days - %: 100

Biodegradability: Biological oxygen demand (BOD) - Notes: 526 mg/g

Biodegradability: Chemical Oxygen Demand (COD) - Notes: 725 mg/g

### Bioaccumulative potential

Citric acid - CAS: 77-92-9

Log Pow -1.67

### Mobility in soil



## Safety Data Sheet

### HDL 73W

TRIAMMONIUM CITRATE - CAS: 3458-72-8

low-polluting

#### Other adverse effects

No harmful effects expected.

---

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### 14. TRANSPORT INFORMATION

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

N.A.

Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

N.A.

---

### 15. REGULATORY INFORMATION

#### USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory or are not required to be listed on the TSCA.

TSCA sections for substances listed in section 3:

TRIAMMONIUM CITRATE is listed in TSCA Section 8b

SODIUM XYLENESULPHONATE is listed in TSCA Section 8b

Citric acid is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

## Safety Data Sheet

### HDL 73W

CAA listed substances:

Citric acid is listed in CAA Section 111.

CWA - Clean Water Act

CWA listed substances:

None.

#### USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

---

## 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H315 Causes skin irritation.

Safety Data Sheet date: 10/23/2023, version 2

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

## Safety Data Sheet

### HDL 73W

GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average