

Safety Data Sheet date: 2/2/2023, version 2

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: SKYRESTORE 407 GEL

Other means of identification:

SDS code: 104154EU

Recommended use of the chemical and restrictions on use

Recommended use:

Cleaner

Industrial uses

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel: +33 (0)2 97 43 76 83 - Fax: +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Dysol Inc. - 791 Westport Parkway - Fort Worth, TX 76177 / Phone: 1-817-335-1826 /

csr-na@socomore.com/ Fax Number: 817-335-2405

Socomore Canada Limited - Unit 204, 6741 Cariboo Road, Burnaby V3N 4A3, British Columbia, Canada / Email: csr-ca@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA); CANUTEC:

1-613-996-6666 (CANADA)

Socomore Canada Limited - +1-604-420-7707 (Monday-Friday; 7:30 am - 5:00 pm)

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

Warning, Flam. Liq. 4, Combustible liquid.

- Warning, Skin Irrit. 2, Causes skin irritation.
- Warning, Eye Irrit. 2A, Causes serious eye irritation.
- Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Acute 2, Toxic to aquatic life.

Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Label elements

Hazard pictograms:





Warning

Hazard statements:

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing vapours.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire, use a CO2 fire extinguisher to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 7% - < 10% 3-butoxypropan-2-ol; propylene glycol monobutyl ether

REACH No.: 01-2119475527-28, Index number: 603-052-00-8, CAS: 5131-66-8, EC: 225-878-4 104154EU - version 2



- A.3/2A Eye Irrit. 2A H319
- A.2/2 Skin Irrit. 2 H315

>= 1% - < 3% Dodecane-1-thiol

REACH No.: 01-2119491318-31, CAS: 112-55-0, EC: 203-984-1

- ♦ A.2/1C Skin Corr. 1C H314
- ♦ A.3/1 Eye Dam. 1 H318
- A.4.2/1 Skin Sens. 1 H317
- US-HAE/A1 Aquatic Acute 1 H400 M=10.
- ♦ US-HAE/C1 Aquatic Chronic 1 H410 M=10.

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire, use a CO2 fire extinguisher to extinguish.

Unsuitable extinguishing media

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

104154EU - version 2



Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Dodecane-1-thiol - CAS: 112-55-0

- OEL Type: ACGIH - TWA(8h): 0.1 ppm - Notes: DSEN - URT irr

- OEL Type: National - TWA: 0.1 ppm - Notes: Portugal

- OEL Type: National - TWA: 0.1 ppm - Notes: Spain

- OEL Type: National - TWA(8h): 0.84 mg/m3, 0.1 ppm - Notes: Belgium

DNEL Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Worker Industry: 44 mg/kg b.w./day - Consumer: 16 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 270.5 mg/m3 - Consumer: 33.8 mg/m3 - Exposure: Human Inhalation -

104154EU - version 2



Frequency: Long Term, systemic effects

Consumer: 8.75 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

PNEC Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Target: Fresh Water - Value: 0.525 mg/l Target: Marine water - Value: 0.0525 mg/l

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Freshwater sediments - Value: 2.36 mg/kg dw Target: Marine water sediments - Value: 0.236 mg/kg dw

Target: Soil (agricultural) - Value: 0.16 mg/kg dw

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Light yellow		
Odour:	N.A.	-	
Odour threshold:	N.A.		
рН:	9		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	N.A.		
Flash Point (°F):	N.A.		



Flash point (°C):	79	
Evaporation rate:	N.A.	
Solid/gas flammability:	N.A.	
Upper/lower flammability or explosive limits:	N.A.	
Vapour pressure:	N.A.	
Vapour density:	N.A.	
Relative density:	1.06	
Solubility in water:	N.A.	
Solubility in oil:	N.A.	
Partition coefficient (n-octanol/water):	N.A.	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	11000 cps	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		



10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2.700 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2.000 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 3.5 mg/l

Dodecane-1-thiol - CAS: 112-55-0

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat (male) > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rat (male) > 2000 mg/kg - Source: OECD 402

STOT-repeated exposure:

Test: NOEL - Route: Inhalation - Species: Rat = 0.01 mg/l - Duration: 4 weeks (daily, 5

days/week) - Notes: Dose: 0, 0.43, 1.6, 7.3 ppm Test: LOEL - Route: Skin - Species: Rat = 0.06 mg/l

Test: NOEL - Route: Inhalation - Species: DOG = 1.7 ppm - Duration: 4 weeks (daily, 5

days/week) - Notes: Dose: 0, 0.44, 1.7, 7.7 ppm

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

104154EU - version 2

Page 7 / 12



3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 560-1000 mg/l - Duration h: 96 - Notes: guppy (Poecilia reticulata)

Endpoint: EC50 - Species: Algae > 560 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: EC50 - Species: Daphnia > 1.000 mg/l - Duration h: 3

Endpoint: NOEC - Species: Fish = 180 mg/l - Duration h: 96 - Notes: guppy

Endpoint: NOEC - Species: Daphnia = 560 mg/l - Duration h: 48 - Notes: Selenastrum

Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 1.000 mg/l - Duration h: 3

Dodecane-1-thiol - CAS: 112-55-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia Magna >= 1 mg/l - Duration h: 48 - Notes: OECD 202 Endpoint: EC50 - Species: Daphnia Magna <= 10 mg/l - Duration h: 48 - Notes: OECD 202 Endpoint: EC50 - Species: Algae = 0.0145 mg/l - Duration h: 72 - Notes: OECD 201; Pseudokirchneriella subcapitata (

1 Seadormonnenena S

Persistence and degradability

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Biodegradability: Readily biodegradable

Bioaccumulative potential

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Potentially bioaccumulative. Low bioconcentration potential

Dodecane-1-thiol - CAS: 112-55-0 BCF 228 - 781.2

Mobility in soil

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Mobile

Other adverse effects

No harmful effects expected.

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION



UN number

ADR-UN Number: 3082

DOT number: UN3082

IATA-UN Number: 3082

104154EU - version 2

Page 8 / 12



IMDG-UN Number: 3082

UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Dodecane-1-thiol)

DOT-Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(Dodecane-1-thiol)

IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Dodecane-1-thiol)

IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Dodecane-1-thiol)

Transport hazard class(es)

ADR-Class: 9

DOT Hazard Class: 9

ADR - Hazard identification number: 90

IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9

Packing group

ADR-Packing Group: III

DOT Packing group: III

IATA-Packing group: III IMDG-Packing group: III

Environmental hazards

ADR-Environmental Pollutant: Yes IMDG-Marine pollutant: Yes

Most important toxic component: Dodecane-1-thiol

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

DOT Special provisions: 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT Labels: 9

ADR-Subsidiary hazards: -

ADR-S.P.: 274 335 375 601 ADR-Transport category (Tunnel restriction code): 3 (-)

IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 964

IATA-S.P.: A97 A158 A197 A215

IATA-ERG: 9L

IMDG-EmS: F-A , S-F

IMDG-Subsidiary hazards:

IMDG-Stowage and handling: Category A

IMDG-Segregation: -

Q.L.: 5L Q.E.: E1

104154EU - version 2

Page 9 / 12



15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory or are not required to be listed on the TSCA.

TSCA sections for substances listed in section 3:

3-butoxypropan-2-ol; propylene glycol monobutyl ether is listed in TSCA Section 8d HSDR, Section 8b

Dodecane-1-thiol is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: no substances listed.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Dodecane-1-thiol.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Dodecane-1-thiol.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

104154EU - version 2

Page 10 / 12



H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Safety Data Sheet date: 2/2/2023, version 2

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.

104154EU - version 2

Page 11 / 12



STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average