

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Safety Data Sheet dated 11/8/2021, version 6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes  
SDS code: P47123  
UFI: QQ2W-ES7C-XC4V-THA1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Cleaner

Industrial uses

Uses advised against:

No uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

##### Distributors:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Socomore GmbH - c/o MAZARS GmbH - Theodor-Stern-Kai 1 - 60596 Frankfurt am Main - Deutschland - Tel: +33 (0)2 97 63 05 01

Socomore Iberia - Calle Diputació, 260 - 08007 Barcelona - Espana - Tel: +33 (0)2 97 63 05 01

SOCOMORE SPzoo - Ul. Piekna 18, 00-549 Warszawa Polska - Tel : +33 (0)2 97 63 05 01

##### Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

#### 1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59

International : CHEMTEL +1-813-248-0585.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty               | Name                                  | Ident. Number   | Classification   |
|-------------------|---------------------------------------|---|--|
| >= 1% -<br>< 3%   | ALKYL ALCOHOLS<br>(C10) ETHOXYLATES   | CAS: 68439-46-3<br>REACH No.: Exempted----<br>----                    | ⚠ 3.1/4/Oral Acute Tox. 4 H302<br>⚠ 3.3/1 Eye Dam. 1 H318  |
| >= 0.5% -<br>< 1% | Dipropylene glycol<br>monomethylether | CAS: 34590-94-8<br>EC: 252-104-2                                      | Substance with a Union workplace<br>exposure limit.  |
| < 0.1%            | 2-AMINOETHANOL                        | CAS: 141-43-5<br>EC: 205-483-3<br>REACH No.: 01-<br>2119486455<br>-28 | ⚠ 3.1/4/Inhal Acute Tox. 4 H332<br>⚠ 3.3/1 Eye Dam. 1 H318<br>⚠ 3.8/3 STOT SE 3 H335<br>⚠ 3.1/4/Dermal Acute Tox. 4 H312<br>⚠ 3.1/4/Oral Acute Tox. 4 H302<br>⚠ 3.2/1B Skin Corr. 1B H314<br>4.1/C3 Aquatic Chronic 3 H412 |

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

---

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

### 6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limit values

Dipropylene glycol monomethylether - CAS: 34590-94-8

- OEL Type: EU - TWA(8h): 308 mg/m<sup>3</sup>, 50 ppm - Notes: Skin

- OEL Type: ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT  
irr, CNS impair

2-AMINOETHANOL - CAS: 141-43-5

- OEL Type: National - TWA(8h): 0.5 mg/m<sup>3</sup> - Notes: Germany- DFG, EU, Y, Sh, H, 11

- OEL Type: National - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes:  
France VLEC - TMP N° 49, 49 Bis

- OEL Type: EU - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes: Skin

- OEL Type: ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

- OEL Type: National - TWA(8h): 2.5 mg/m<sup>3</sup>, 0.98 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm -

Notes: Netherland

- OEL Type: National - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes:  
Belgium

- OEL Type: National - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes:

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

UK

### DNEL Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 3.3 mg/m<sup>3</sup> - Consumer: 2 mg/m<sup>3</sup> - Exposure: Human Inhalation -

Frequency: Long Term, local effects

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, local effects

### PNEC Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Target: Fresh Water - Value: 0.085 mg/l

Target: Marine water - Value: 0.0085 mg/l

Target: Freshwater sediments - Value: 0.425 mg/l

Target: Marine water sediments - Value: 0.0425 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Soil (agricultural) - Value: 0.035 mg/kg

Target: PNEC intermittent - Value: 0.025 mg/l

### Biological Exposure Index

N.A.

## 8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties             | Value                  | Method: | Notes |
|------------------------|------------------------|---------|-------|
| Appearance and colour: | Liquid coated on wipes | --      | --    |
| Odour:                 | N.A.                   | --      | --    |

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes**

|   |                |    |    |
|---|----------------|----|----|
| Odour threshold:                              | N.A.           | -- | -- |
| pH:   | 6.5            | -- | -- |
| Melting point / freezing point:               | N.A.           | -- | -- |
| Initial boiling point and boiling range:      | 100°C          | -- | -- |
| Flash point (°C):                             | >100°C         | -- | -- |
| Flash Point (°F):                             | N.A.           | -- | -- |
| Evaporation rate:                             | N.A.           | -- | -- |
| Solid/gas flammability:                       | N.A.           | -- | -- |
| Upper/lower flammability or explosive limits: | N.A.           | -- | -- |
| Vapour pressure:                              | 2333.1 Pa@20°C | -- | -- |
| Vapour density:                               | N.A.           | -- | -- |
| Relative density:                             | 1.007-1.017    | -- | -- |
| Solubility in water:                          | N.A.           | -- | -- |
| Solubility in oil:                            | N.A.           | -- | -- |
| Partition coefficient (n-octanol/water):      | N.A.           | -- | -- |
| Auto-ignition temperature:                    | N.A.           | -- | -- |
| Decomposition temperature:                    | N.A.           | -- | -- |
| Viscosity:                                    | 0.001Pa.s      | -- | -- |
| Explosive properties:                         | N.A.           | -- | -- |
| Oxidizing properties:                         | N.A.           | -- | -- |

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

### 9.2. Other information

| Properties                           | Value | Method: | Notes |
|--------------------------------------|-------|---------|-------|
| Miscibility:                         | N.A.  | --      | --    |
| Fat Solubility:                      | N.A.  | --      | --    |
| Conductivity:                        | N.A.  | --      | --    |
| Substance Groups relevant properties | N.A.  | --      | --    |

Volatile Organic compounds - VOCs = 69.7 g/l

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

None.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg

Test: LD50 - Route: Oral - Species: Rat <= 2000 mg/kg

2-AMINOETHANOL - CAS: 141-43-5

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 1000 mg/kg

Test: LC50 - Route: Inhalation Dust > 1 mg/l - Duration: 4h

Reproductive toxicity:

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Test: NOAEL - Species: Rat = 225 MGKGBWDAY - Notes: development

Test: NOAEL - Species: Rat = 300 MGKGBWDAY - Notes: fertility

STOT-single exposure:

Test: C - Route: Inhalation Dust > 5 mg/l - Duration: 4h

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 300 mg/kg/d - Duration: > 75 days - Source: OECD 416, Experimental value - Notes: Effect: Body weight, weight of organs, consumption food

Test: NOAEC - Route: Inhalation - Species: Rat = 10 mg/m<sup>3</sup> - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: Effect: Lesions to the larynx, trachea and lungs

Test: NOEC - Route: Inhalation - Species: Rabbit = 150 mg/m<sup>3</sup> - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: No adverse systemic effects

If not specified in other sections, the information required in Regulation (EU)2015/830 listed below must be considered as not relevant.:

Acute toxicity;  
Skin corrosion/irritation;  
Serious eye damage/irritation;  
Respiratory or skin sensitisation;  
Germ cell mutagenicity;  
Carcinogenicity;  
Reproductive toxicity;  
STOT-single exposure;  
STOT-repeated exposure;  
Aspiration hazard.

Other toxicological information:

ALKYL ALCOHOLS (C10) ETHOXYLATES

Eye contact:

Severe eye irritation.

Ingestion:

Harmful if swallowed

Stomach pain

Inhalation - May irritate respiratory tracts.

Skin contact:

Pain or irritation, redness

Eye contact:

Pain or irritation, tearing, redness

-

2-AMINOETHANOL

Low subchronic toxicity by dermal, oral and inhalation routes.

Skin corrosion / irritation (rabbit):



# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Corrosive  
Severe eye injury/irritation (rabbit):  
Irritating effect

---

### SECTION 12: Ecological information

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

##### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae  $\geq$  1 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Algae  $\leq$  10 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Daphnia  $\geq$  1 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Daphnia  $\leq$  10 mg/l - Duration h: 48  
Endpoint: LC50 - Species: Fish  $\geq$  1 mg/l - Duration h: 48  
Endpoint: LC50 - Species: Fish  $\leq$  10 mg/kg - Duration h: 48

2-AMINOETHANOL - CAS: 141-43-5

##### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio  
Endpoint: LC50 - Species: Fish = 170 mg/l - Duration h: 96 - Notes: Carassius auratus (Goldfish)  
Endpoint: LC50 - Species: Fish = 227 mg/l - Duration h: 96 - Notes: Pimephales promelas (Fat-head Minnow)  
Endpoint: LC50 - Species: Fish = 3684 mg/l - Duration h: 96 - Notes: Brachydanio rerio (Zebra Fish)  
Endpoint: LC50 - Species: Fish  $\geq$  300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus (Bluegill)  
Endpoint: LC50 - Species: Fish  $\geq$  114 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss (Rainbow trout)  
Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 720 - Notes: Oryzias latipes  
Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48  
Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504  
Endpoint: EC50 - Species: aquatic plants = 2.5 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum  
Endpoint: EC50 - Species: aquatic plants = 22 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus / OECD 201  
Endpoint: EC50 - Species: aquatic plants = 2.8 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata  
Endpoint: EC20 - Species: Microorganisms > 1000 mg/l - Duration h: 0.5 - Notes: Activated sludge  
Endpoint: EC50 - Species: Microorganisms = 1000 mg/l - Duration h: 3 - Notes: Activated sludge / OECD 209

##### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504

#### 12.2. Persistence and degradability

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Biodegradability: Readily biodegradable

2-AMINOETHANOL - CAS: 141-43-5

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Biodegradability: Biodegradability rate - Duration: 21 days - %: > 90

### 12.3. Bioaccumulative potential

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Not bioaccumulative

2-AMINOETHANOL - CAS: 141-43-5

Log Pow - Test: OECD 107 -1.91

### 12.4. Mobility in soil

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Readily absorbed into soil. Soluble in water.

2-AMINOETHANOL - CAS: 141-43-5

Log Koc 1.17

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Other adverse effects

No harmful effects expected.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

15 02 02\* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

---

## SECTION 14: Transport information

### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

### 14.6. Special precautions for user

N.A.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

The product is transported in conditions that comply with exemption criteria for ADR transport.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes  
non-ionic surface active agents < 5%  
Preservatives: < 5%

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

| Hazard class and hazard category | Code         | Description  |
|----------------------------------|--------------|--|
| Acute Tox. 4                     | 3.1/4/Dermal | Acute toxicity (dermal), Category 4                          |
| Acute Tox. 4                     | 3.1/4/Inhal  | Acute toxicity (inhalation), Category 4                      |
| Acute Tox. 4                     | 3.1/4/Oral   | Acute toxicity (oral), Category 4                            |
| Skin Corr. 1B                    | 3.2/1B       | Skin corrosion, Category 1B                                  |
| Eye Dam. 1                       | 3.3/1        | Serious eye damage, Category 1                               |
| Eye Irrit. 2                     | 3.3/2        | Eye irritation, Category 2                                   |
| STOT SE 3                        | 3.8/3        | Specific target organ toxicity - single exposure, Category 3 |
| Aquatic Chronic 3                | 4.1/C3       | Chronic (long term) aquatic hazard, category 3               |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|--------------------------|
| Eye Irrit. 2, H319  | Calculation method       |

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

|             |  |
|-------------|--|
| ADR:        | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE:        | Acute Toxicity Estimate  |
| ATEmix:     | Acute toxicity Estimate (Mixtures)   |
| CAS:        | Chemical Abstracts Service (division of the American Chemical Society).              |
| CLP:        | Classification, Labeling, Packaging.   |
| DNEL:       | Derived No Effect Level.   |
| EINECS:     | European Inventory of Existing Commercial Chemical Substances.                       |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany.  |
| GHS:        | Globally Harmonized System of Classification and Labeling of Chemicals.              |
| IATA:       | International Air Transport Association.   |
| IATA-DGR:   | Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  |
| ICAO:       | International Civil Aviation Organization.   |
| ICAO-TI:    | Technical Instructions by the "International Civil Aviation Organization" (ICAO).    |
| IMDG:       | International Maritime Code for Dangerous Goods.                                     |
| INCI:       | International Nomenclature of Cosmetic Ingredients.                                  |

## **Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**

### **SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes**

|          |   |
|----------|---|
| KSt:     | Explosion coefficient.  |
| LC50:    | Lethal concentration, for 50 percent of test population.                          |
| LD50:    | Lethal dose, for 50 percent of test population.                                   |
| LTE:     | Long-term exposure.   |
| PNEC:    | Predicted No Effect Concentration.  |
| RID:     | Regulation Concerning the International Transport of Dangerous Goods by Rail.     |
| STE:     | Short-term exposure.  |
| STEL:    | Short Term Exposure limit.  |
| STOT:    | Specific Target Organ Toxicity.   |
| STOT SE: | May cause drowsiness or dizziness   |
| TLV:     | Threshold Limiting Value.   |
| TWA:     | Time-weighted average   |
| TWATLV:  | Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). |
| WGK:     | German Water Hazard Class.  |