

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Regulation (EU) n. 2020/878

Safety Data Sheet date: 21/2/2022, version 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: SOCOSTRIP A 0212
SDS code: P50212
UFI: W52V-EPF9-3N4Y-2YXC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Solvent

Industrial uses

Uses advised against:

No uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- ⚠ Warning, Met. Corr. 1, May be corrosive to metals.
- ⚠ Warning, Acute Tox. 4, Harmful if swallowed.
- ⚠ Warning, Acute Tox. 4, Harmful if inhaled.
- ⚠ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- ⚠ Danger, Eye Dam. 1, Causes serious eye damage.
- ⚠ Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

- H290 May be corrosive to metals.
- H302+H332 Harmful if swallowed or if inhaled.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

- P261 Avoid breathing vapours.
- P264 Wash hands thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/clothing and eye/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER if you feel unwell.

Special Provisions:

None

Contains

- formic acid ... %
- benzyl alcohol
- BENZYL FORMATE
- ORANGE, SWEET, EXTRACT
- benzothiazole-2-thiol: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOSTRIP A 0212

Qty	Name	Ident. Number	Classification
>= 20% - < 25%	benzyl alcohol	Index number: CAS: EC: REACH No.: 603-057-00-5 100-51-6 202-859-9 01- 2119492630 -38	<ul style="list-style-type: none"> ⚠ 3.1/4/Inhal Acute Tox. 4 H332 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/2 Eye Irrit. 2 H319
>= 7% - < 10%	formic acid ... %	Index number: CAS: EC: REACH No.: 607-001-00-0 64-18-6 200-579-1 01- 2119491174 -37	<ul style="list-style-type: none"> ⚠ 2.6/3 Flam. Liq. 3 H226 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/1A Skin Corr. 1A H314 ⚠ 3.1/3/Inhal Acute Tox. 3 H331 <p>EUH071</p> <p>Specific Concentration Limits: 2% <= C < 10%: Skin Irrit. 2 H315 2% <= C < 10%: Eye Irrit. 2 H319 10% <= C < 90%: Skin Corr. 1B H314 C >= 90%: Skin Corr. 1A H314</p>
>= 3% - < 5%	BENZYL FORMATE	CAS: EC: REACH No.: 104-57-4 203-214-4 Exempted---- ----	<ul style="list-style-type: none"> ⚠ 3.1/4/Dermal Acute Tox. 4 H312 ⚠ 3.1/4/Oral Acute Tox. 4 H302
>= 1% - < 3%	ORANGE, SWEET, EXTRACT	CAS: EC: REACH No.: 8028-48-6 232-433-8 01- 2119493353 -35	<ul style="list-style-type: none"> ⚠ 2.6/3 Flam. Liq. 3 H226 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.4.2/1 Skin Sens. 1 H317 ⚠ 3.10/1 Asp. Tox. 1 H304 ⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C1 Aquatic Chronic 1 H410
>= 1% - < 3%	PYROPHOSPHATE TÉTRAPOTASSIQUE	CAS: EC: REACH No.: 7320-34-5 230-785-7 01- 2119489369 -18	<ul style="list-style-type: none"> ⚠ 3.3/2 Eye Irrit. 2 H319
>= 0.1% - < 0.25%	benzothiazole-2-thiol	Index number: CAS: EC: REACH No.: 613-108-00-3 149-30-4 205-736-8 01- 2119485805 -26	<ul style="list-style-type: none"> ⚠ 3.4.2/1 Skin Sens. 1 H317 ⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C1 Aquatic Chronic 1 H410

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

< 0.0005%	1,4-dioxane	Index number:	603-024-00-5	⚠ 2.6/2 Flam. Liq. 2 H225 ⚠ 3.6/2 Carc. 2 H351 ⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 3.8/3 STOT SE 3 H335 EUH019 EUH066
		CAS:	123-91-1	
		EC:	204-661-8	

SVHC, PBT, vPvB, endocrine disruptor substances:

< 0.0005% 1,4-dioxane

Index number: 603-024-00-5, CAS: 123-91-1, EC: 204-661-8

SVHC

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

benzyl alcohol - CAS: 100-51-6

- OEL Type: National - TWA(8h): 22 mg/m³, 5 ppm - Notes: Germany - DFG, H, Y,11

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

formic acid ... % - CAS: 64-18-6

- OEL Type: National - TWA(8h): 9 mg/m³, 5 ppm - Behaviour: Indicative - Notes: France VLEP

- OEL Type: EU - TWA(8h): 9 mg/m³, 5 ppm

- OEL Type: ACGIH - TWA(8h): 5 ppm - STEL: 10 ppm - Notes: URT, eye, and skin irr

1,4-dioxane - CAS: 123-91-1

- OEL Type: EU - TWA(8h): 73 mg/m³, 20 ppm

- OEL Type: ACGIH - TWA(8h): 20 ppm - Notes: Skin, A3 - Liver dam

- OEL Type: National - TWA: 35 mg/m³, 10 ppm - STEL: 140 mg/m³, 40 ppm

DNEL Exposure Limit Values

benzyl alcohol - CAS: 100-51-6

Worker Industry: 40 mg/kg b.w./day - Consumer: 28.5 - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Industry: 110 mg/m³ - Consumer: 27 mg/kg b.w./day - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 8 mg/kg b.w./day - Consumer: 5.7 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 22 mg/m³ - Consumer: 5.4 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 20 mg/kg b.w./day - Exposure: Human Oral - Frequency: Short Term, systemic effects

formic acid ... % - CAS: 64-18-6

Worker Industry: 9.5 mg/m³ - Consumer: 3 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 19 mg/m³ - Consumer: 9.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 9.5 mg/m³ - Consumer: 3 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 19 mg/m³ - Consumer: 9.5 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

Worker Professional: 8.89 mg/kg b.w./day - Consumer: 4.44 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 185.8 µg/cm² - Consumer: 92.9 µg/cm² - Exposure: Human Dermal - Frequency: Short Term, local effects

Worker Professional: 31.1 mg/m³ - Consumer: 7.78 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 4.44 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

PYROPHOSPHATE TÉTRAPOTASSIQUE - CAS: 7320-34-5

Worker Professional: 2.79 mg/m³ - Consumer: 0.68 mg/l - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 70 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

benzothiazole-2-thiol - CAS: 149-30-4

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Consumer: 10 mg/kg b.w./day - Exposure: Human Oral - Frequency: Short Term, systemic effects

Consumer: 1.25 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 70.4 mg/m³ - Consumer: 17.6 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 8.8 mg/m³ - Consumer: 2.2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 5 mg/kg b.w./day - Consumer: 2.5 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 40 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Consumer: 1.25 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 10 mg/kg b.w./day - Exposure: Human Oral - Frequency: Short Term, systemic effects

PNEC Exposure Limit Values

benzyl alcohol - CAS: 100-51-6

Target: Fresh Water - Value: 1 mg/l

Target: Marine water - Value: 0.1 mg/l

Target: PNEC01 - Value: 2.3 mg/l

Target: Soil - Value: 0.456 mg/kg

Target: Freshwater sediments - Value: 5.27 mg/kg

Target: Marine water sediments - Value: 0.527 mg/kg

Target: Microorganisms in sewage treatments - Value: 39 mg/l

formic acid ... % - CAS: 64-18-6

Target: Fresh Water - Value: 2 mg/l

Target: Marine water - Value: 0.2 mg/l

Target: Freshwater sediments - Value: 13.4 mg/kg

Target: Marine water sediments - Value: 1.34 mg/kg

Target: Soil (agricultural) - Value: 1.5 mg/kg

Target: Microorganisms in sewage treatments - Value: 7.2 mg/l

Target: Sporadic discharge - Value: 1 mg/l

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

Target: Fresh Water - Value: 5.4 mg/l

Target: Marine water - Value: 0.54 mg/l

Target: PNEC01 - Value: 5.77 mg/l

Target: Freshwater sediments - Value: 1.3 mg/kg

Target: Marine water sediments - Value: 0.13 mg/kg

Target: Soil (agricultural) - Value: 0.261 mg/kg

Target: Microorganisms in sewage treatments - Value: 2.1 mg/l

Target: PNEC02 - Value: 13.3 mg/l

PYROPHOSPHATE TÉTRAPOTASSIQUE - CAS: 7320-34-5

Target: Fresh Water - Value: 0.05 mg/l

Target: Marine water - Value: 0.005 mg/l

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Target: Freshwater sediments - Value: 0.5 mg/l - Notes:: PNEC aqua (intermittente, eau douce)

Target: Microorganisms in sewage treatments - Value: 50 mg/l

benzothiazole-2-thiol - CAS: 149-30-4

Target: Sewage treatment plant - Value: 0.3 mg/l

Target: Freshwater sediments - Value: 0.147 mg/kg

Target: Marine water sediments - Value: 0.0147 mg/kg dw

Target: Marine water - Value: 0.00041 mg/l

Target: Fresh Water - Value: 0.0041 mg/l

Target: Soil - Value: 0.27 mg/kg dw

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Face protection shield. (EN 166)

Use closed fitting safety goggles, don't use eye lens.

Protection for skin:

Complete head, face and neck protection.

Boots (NF EN13832-3)

Protection for hands:

Suitable gloves type: NF EN374

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Blue	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOSTRIP A 0212

Boiling point or initial boiling point and boiling range:	180 °C	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point (°C):	85 °C	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	2	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.02	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
------------	-------	---------	-------

Volatile Organic compounds - VOCs = 253 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

benzyl alcohol - CAS: 100-51-6

Acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 4178 mg/m³ - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 1620 MGKGBWDAY

Test: LOAEL

- Route: Oral - Species: Mouse = 750 mg/kg - Duration: 8 days

Reproductive toxicity:

Test: NOAEL - Route: Oral - Species: Mouse = 550 MGKGBWDAY - Source: 6-15 days

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 400 MGKGBWDAY

Test: NOAEL - Route: Oral - Species: Mouse = 200 MGKGBWDAY

Test: NOAEL - Route: Inhalation - Species: Rat = 1072 mg/m³

formic acid ... % - CAS: 64-18-6

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 730 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 7.4 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat = 940 mg/kg

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg

STOT-repeated exposure:

Test: LOAEL

- Species: Mouse = 1000 MGKGBWDAY

PYROPHOSPHATE TÉTRAPOTASSIQUE - CAS: 7320-34-5

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 1.1 mg/l

benzothiazole-2-thiol - CAS: 149-30-4

Acute toxicity:

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Test: LC50 - Route: Inhalation - Species: Rat > 1270 mg/l - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 3800 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 7940 mg/kg

Carcinogenicity:

Test: LOAEL

- Route: Oral - Species: Rat = 375 mg/kg bw - Duration: 103 weeks, 5 days/week - Source: OECD 451 - Notes: Male

Test: LOAEC - Route: Oral - Species: Rat = 188 mg/kg bw - Duration: 103 weeks, 5 days/week - Source: OECD 451 - Notes: Female

STOT-repeated exposure:

Test: LOAEL

- Route: Oral - Species: Rat = 2500 ppm - Duration: 70 days - Source: OECD 416 - Notes: Subchronic toxicity

1,4-dioxane - CAS: 123-91-1

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 30.000 mg/kg

STOT-repeated exposure:

Route: Oral - Species: Rat > 2 %

benzyl alcohol - CAS: 100-51-6

LD50 (RABBIT) SKIN SINGLE DOSE: 2000 MG/KG

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

Acute toxicity;

Skin corrosion/irritation;

Serious eye damage/irritation;

Respiratory or skin sensitisation;

Germ cell mutagenicity;

Carcinogenicity;

Reproductive toxicity;

STOT-single exposure;

STOT-repeated exposure;

Aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

Other toxicological information:

benzyl alcohol

Skin corrosion / irritation:

Severe eye irritation.

Skin irritation:

Slight irritating effect

Mutagenicity on germ cells (in vitro):

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Positive without metabolic activation, OECD 476, Mouse (L5178Y lymphoma cell)

Positive with metabolic activation, Chinese Hamster Ovary (CHO)

-

ORANGE, SWEET, EXTRACT

Skin contact:

May cause skin irritation. May cause skin allergy.

-

benzothiazole-2-thiol

Eye irritation:

Slight irritating effect

Skin sensitization:

May cause skin sensitization.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

benzyl alcohol - CAS: 100-51-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 460 mg/l - Duration h: 96 - Notes: Pimephales promelas, fresh water, static system

Endpoint: EC50 - Species: Daphnia = 230 mg/l - Duration h: 48

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 51 mg/l - Duration h: 504

d) Terrestrial toxicity:

Endpoint: IC50 - Species: Microorganisms = 390 mg/kg - Duration h: 24 - Notes: ISO 8192; Nitrosomas

e) Plant toxicity:

Endpoint: NOEC - Species: Algae = 310 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: EC50 - Species: Algae = 770 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

formic acid ... % - CAS: 64-18-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 46 mg/l - Duration h: 96 - Notes: Leuciscus idus

Endpoint: EC50 - Species: Daphnia = 32.19 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 26.9 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: NOEC - Species: Daphnia > 102 mg/l - Duration h: 504

c) Bacteria toxicity:

Endpoint: EC10 - Species: bacteria = 72 mg/l - Duration h: 312 - Notes: Boue activée/activated sludge

Endpoint: EC50 - Species: bacteria = 46.7 mg/l - Duration h: 17

f) Effects in sewage plants (activated sludge):

Endpoint: EC20 - Species: Microorganisms > 1000 mg/l - Duration h: 0.5

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.67 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 0.7 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae = 150 mg/l - Duration h: 72

PYROPHOSPHATE TÉTRAPOTASSIQUE - CAS: 7320-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EC50 > 1000 mg/l - Duration h: 3 - Notes: Activated sludge

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 100 mg/l - Duration h: 96

Endpoint: NOEC - Species: Algae > 100 mg/l - Duration h: 72

benzothiazole-2-thiol - CAS: 149-30-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.71 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.25 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 0.73 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia = 4.1 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 0.08 mg/l - Duration h: 504

Endpoint: NOEC - Species: Algae = 0.066 mg/l - Duration h: 72

Endpoint: NOEC - Species: Fish 0.041 mg/l - Duration h: 2136

12.2. Persistence and degradability

benzyl alcohol - CAS: 100-51-6

Biodegradability: Biodegradation in water - Test: MITI modif(I) - Duration: 14 days - %: 92-96 -

Notes: OECD 301C

formic acid ... % - CAS: 64-18-6

Biodegradability: Readily biodegradable

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

Biodegradability: Biodegradability rate - Test: OECD 301B - Duration: 28 days - %: 72 - 83.4

benzothiazole-2-thiol - CAS: 149-30-4

Biodegradability: Biodegradability rate - Test: OECD 301C - Duration: 14 days - %: 2.5

12.3. Bioaccumulative potential

benzyl alcohol - CAS: 100-51-6

BCF 1.37 l/kg

Log Kow 1.05 - Notes: 20°C

ORANGE, SWEET, EXTRACT - CAS: 8028-48-6

BCF 1.502 - 2.597

benzothiazole-2-thiol - CAS: 149-30-4

Log Pow 2.42

BCF - Test: OECD 305C < 8 - Duration: 14 days - Notes: Cyprinus carpio (25°C)

12.4. Mobility in soil

benzyl alcohol - CAS: 100-51-6

Log Koc 15.7

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Volality (H: Henry's Law Constant) 0.0879 Pa.m³/mol

benzothiazole-2-thiol - CAS: 149-30-4

Log Koc 2.51 - 3.55

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration \geq 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

06 01 06* other acids

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 3265

IATA-UN Number: 3265

IMDG-UN Number: 3265

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid ...%)

IATA-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid ...%)

IMDG-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (formic acid ...%)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

IATA-Class: 8

IATA-Label: 8

IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II

IATA-Packing group: II

IMDG-Packing group: II

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

IMDG-EmS: F-A , S-B

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

14.6. Special precautions for user

ADR-Subsidiary hazards:	-
ADR-S.P.:	274
ADR-Transport category (Tunnel restriction code):	2 (E)
IATA-Passenger Aircraft:	851
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	855
IATA-S.P.:	A3 A803
IATA-ERG:	8L
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category B SW2
IMDG-Segregation:	-
Q.L.:	1L
Q.E.:	E2

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Restriction 40

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

SOCOSTRIP A 0212

Preservatives: benzothiazole-2-thiol

Preservatives: benzotriazole

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

1,4-dioxane

SVHC

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

EUH071 Corrosive to the respiratory tract.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

H315 Causes skin irritation.

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Carc. 2	3.6/2	Carcinogenicity, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H332	Calculation method
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
- CCNL - Appendix 1
- Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOSTRIP A 0212

responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.