

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Regulation (EU) n. 2020/878

Safety Data Sheet date: 5/10/2022, version 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: TechLube HD
SDS code: P10693
UFI: 3R79-9T4S-TY00-767F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Lubricant

Industrial uses

Uses advised against:

No uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Contains

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one: May produce an allergic reaction.
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 0.3\%$ - $< 0.5\%$	Propane-1,2-diol	CAS: 57-55-6 EC: 200-338-0 REACH No.: 01-2119456809-23	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
$\geq 0.001\%$ - $< 0.1\%$	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 REACH No.: 01-2120761540-60	<div> <div>3.1/2/Inhal Acute Tox. 2 H330</div> <div>3.2/2 Skin Irrit. 2 H315</div> <div>4.1/C2 Aquatic Chronic 2 H411</div> <div>3.3/1 Eye Dam. 1 H318</div> <div>3.4.2/1 Skin Sens. 1 H317</div> <div>4.1/A1 Aquatic Acute 1 H400</div> <div>3.1/4/Oral Acute Tox. 4 H302</div> </div> Specific Concentration Limits: C $\geq 0,05\%$: Skin Sens. 1 H317
$\geq 0.001\%$ - $< 0.1\%$	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Index number: 613-167-00-5 CAS: 55965-84-9 REACH No.: 01-2120764691-48	<div> <div>3.1/2/Inhal Acute Tox. 2 H330</div> <div>3.1/2/Dermal Acute Tox. 2 H310</div> <div>3.1/3/Oral Acute Tox. 3 H301</div> <div>3.2/1C Skin Corr. 1C H314</div> <div>3.3/1 Eye Dam. 1 H318</div> <div>3.4.2/1A Skin Sens. 1A H317</div> </div>

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

			<p>4.1/A1 Aquatic Acute 1 H400 M=100.</p> <p>4.1/C1 Aquatic Chronic 1 H410 M=100.</p> <p>EUH071</p> <p>Specific Concentration Limits:</p> <p>C >= 0,6%: Skin Corr. 1C H314</p> <p>0,06% <= C < 0.6%: Skin Irrit. 2 H315</p> <p>C >= 0,6%: Eye Dam. 1 H318</p> <p>0,06% <= C < 0.6%: Eye Irrit. 2 H319</p> <p>C >= 0,0015%: Skin Sens. 1A H317</p>
--	--	--	--

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Product should be stored at above freezing conditions.(>0°C)

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

Propane-1,2-diol - CAS: 57-55-6

- OEL Type: National - TWA: 10 mg/m³ - Behaviour: Binding - Notes: UK - EH40 WELs, Particulate

- OEL Type: National - TWA: 474 mg/m³, 150 ppm - Notes: UK - EH40 WELs, Total vapour and particulates

- OEL Type: National - TWA: 10 mg/m³ - Notes: Ireland ELV, Particulate

- OEL Type: National - TWA: 470 mg/m³, 150 ppm - Notes: Ireland, ELV, Total vapour and particulates

DNEL Exposure Limit Values

Propane-1,2-diol - CAS: 57-55-6

Worker Industry: 168 mg/m³ - Consumer: 50 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 10 mg/m³ - Consumer: 10 mg/m³ - Exposure: Human Inhalation -

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Frequency: Long Term, local effects

Consumer: 213 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 85 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Propane-1,2-diol - CAS: 57-55-6

Target: Fresh Water - Value: 260 mg/l

Target: Marine water - Value: 26 mg/l

Target: Freshwater sediments - Value: 572 mg/kg dw

Target: Marine water sediments - Value: 57.2 mg/kg dw - Notes:: evaluation factor : 50

Target: Soil (agricultural) - Value: 50 mg/kg dw - Notes:: evaluation factor : 500

Target: Microorganisms in sewage treatments - Value: 20000 mg/l

Target: PNEC intermittent - Value: 183 mg/l - Notes:: evaluation factor -100

Target: PNEC Oral (foodstuff) - Value: 1133 mg/kg - Notes:: evaluation factor -30

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Clear	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	<0°C	--	--

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Boiling point or initial boiling point and boiling range:	100°C	--	water base
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point (°C):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	6,5	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	> 1	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Viscosity:	5400-7400 CPS @25°C	--	--

Volatile Organic compounds - VOCs = 0 %

Volatile Organic compounds - VOCs = 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

Propane-1,2-diol - CAS: 57-55-6

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 22000 mg/kg bw

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg bw - Notes: 24h

Test: LC50 - Route: Inhalation - Species: Rabbit > 317 mg/l - Duration: 2h

Carcinogenicity:

Test: NOAEC - Route: Inhalation - Species: Rat > 350 mg/m3

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) -

CAS: 55965-84-9

Acute toxicity:

Test: LC50 - Route: Inhalation (dust, mist) - Species: Rat = 0.31 mg/l - Duration: 4h

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

Acute toxicity;

Skin corrosion/irritation;

Serious eye damage/irritation;

Respiratory or skin sensitisation;

Germ cell mutagenicity;

Carcinogenicity;

Reproductive toxicity;

STOT-single exposure;

STOT-repeated exposure;

Aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Other toxicological information:

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Skin irritation:

Slight irritating effect

Eye irritation:

Severe eye damage

Sensitization:

Possible by skin contact

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Propane-1,2-diol - CAS: 57-55-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 40613 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 18340 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia

Endpoint: EC50 - Species: Algae = 19000 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapita

Endpoint: NOEC - Species: bacteria = 20000 mg/l - Duration h: 18 - Notes: Pseudomonas putida

Endpoint: LC50 - Species: Daphnia = 18800 mg/l - Duration h: 96 - Notes: Americamysis bahia

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 13020 mg/l - Duration h: 168 - Notes: Ceriodaphnia dubia

Endpoint: ChV - Species: Fish = 2500 mg/l - Notes: 10 days, Corophium volutator

Endpoint: LC50 - Species: Sedimentary organisms = 6983 mg/l - Notes: 28 days, OCDE 301F

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: activated sludge = 13 mg/l - Duration h: 3 - Notes: OECD 209 - S2747

Endpoint: EC20 - Species: activated sludge = 3.3 mg/l - Duration h: 3 - Notes: OECD 209 - S2747

f) Effects in sewage plants:

approx. 90 % - Notes: OECD 302 B Zahn-Wellens Test - S3509

= 80 % - Notes: OECD 303 A: Activated Sludge Units - S978

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fathead minnow (Pimephales promelas) = 0.58 mg/l - Duration h: 96 - Notes: Dano rerio

Endpoint: EC50 - Species: Aquatic invertebrates = 1.02 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Aquatic plants = 0.379 mg/l - Duration h: 72 - Notes: OCDE 201 ; Pseudokirchneriella subcapitata

Endpoint: EC10 - Species: Aquatic plants = 0.188 mg/kg/d - Duration h: 72 - Notes: OCDE 201 ; Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Propane-1,2-diol - CAS: 57-55-6

Biodegradability: Biodegradation in water - Duration: 28 days - %: 81.7 - Notes: OCDE, 301F

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Biodegradability: Biodegradation (soil) - Duration: 105 days - %: 98
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
Biodegradability: Readily biodegradable - Test: OECD 307 - %: 0.04 d - Notes: S 5025
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS:
55965-84-9

Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

Propane-1,2-diol - CAS: 57-55-6

BCF 0.09

Log Pow -1.07

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Log Kow - Test: OECD 117 0.7 - Notes: (n-octanol/water) S324

BCF - Test: OECD 305 6.95 - Notes: (fish) S2243

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

07 06 99 wastes not otherwise specified

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

The product is transported in conditions that comply with exemption criteria for ADR transport.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

1999/13/EC (VOC directive)
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H330 Fatal if inhaled.
H315 Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.
H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of
Dangerous Goods by Road.
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

TechLube HD

EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.