

Safety Data Sheet

WADIS 24/60 - P10107

Safety Data Sheet date: 13/1/2023, version 1

1. Identification

GHS Product Identifier

Mixture identification:

Trade name: WADIS 24/60

SDS code: P10107

Recommended use of the chemical and restrictions on use

Recommended use:

Lubricant

Industrial uses

Restrictions on use:

Supplier's details

Manufacturers:

Socomore SASU

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax

+353 21 4889923 / ireland@socomore.com

Distributors:

Surface Prep Australia Pty Ltd, 13 – 15 Park Avenue, Coffs Harbour, NSW 2450 Australia /

john@surfaceprepastralia.com / Tel. 0484255361

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number:

Australia emergency phone number: 13 11 26 (Australian Poisons Information Centre)

International : CHEMTEL +1-813-248-0585.

2. Hazards identification

Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

Warning, Flam. Liq. 4, Combustible liquid.

⚠ Warning, Skin Sens. 1B, May cause an allergic skin reaction.

⚠ Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Aquatic Acute 3, Harmful to aquatic life.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

GHS label elements, including precautionary statements

Hazard pictograms:

P10107/1

Page 1 / 13

Safety Data Sheet WADIS 24/60 - P10107



Danger

Hazard statements:

H227 Combustible liquid.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use water or dry powder or foam fire or CO2 fire to extinguish.

P403 Store in a well-ventilated place.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Other hazards which do not result in a classification:

No other hazards

3. Composition/information on ingredients

Substances

N.A.

(N.A. = not applicable)

Mixtures

Hazardous components within the meaning of GHS and related classification:

>= 60% - < 70% Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

REACH No.: 01-2119457273-39, EC: 918-481-9



2.6/3 Flam. Liq. 3 H226



3.10/1 Asp. Tox. 1 H304






3.8/3 STOT SE 3 H336

Safety Data Sheet

WADIS 24/60 - P10107


>= 5% - < 7% HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

REACH No.: 01-2119463583-34, EC: 918-811-1

-  3.10/1 Asp. Tox. 1 H304
-  3.8/3 STOT SE 3 H336
-  4.1/C2 Aquatic Chronic 2 H411





>= 1% - < 3% BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

REACH No.: 01-2119978241-36, EC: 939-603-7

-  3.4.2/1B Skin Sens. 1B H317

>= 0.3% - < 0.5% Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2- methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-, N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1- methylamine and N,N-Bis(2-ethylhexyl)-5-méthyl-1H-benzotriazole-1-methylamine

REACH No.: 01-2119982395-25, EC: 939-700-4

-  3.2/2 Skin Irrit. 2 H315
-  3.4.2/1B Skin Sens. 1B H317
-  4.1/A1 Aquatic Acute 1 H400
-  4.1/C2 Aquatic Chronic 2 H411

% = weight/weight

NOTE: The Hazard Classifications listed in this section refer to the chemical at a pure concentration. The actual concentration of chemicals has been withheld as trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Safety Data Sheet

WADIS 24/60 - P10107

Treatment:
No particular treatment.

5. Fire-fighting measures

Suitable extinguishing media

In case of fire: Use water or dry powder or foam fire or CO2 fire to extinguish.

Unsuitable extinguishing media

None in particular.

Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective actions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

For emergency responders:

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Incompatible materials:

Safety Data Sheet

WADIS 24/60 - P10107

None in particular.

Instructions as regards storage premises:
Cool and adequately ventilated.

8. Exposure controls/personal protection

Control parameters

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

- OEL Type: National - TWA: 1000 mg/m³ - STEL: 1500 mg/m³ - Notes: France
- OEL Type: National - TWA: 1200 mg/m³, 184 ppm - Notes: ExxonMobil
- OEL Type: EU - TWA: 1200 mg/m³ - Notes: EU HSPA
- OEL Type: National - TWA: 25 ppm - Notes: Denmark
- OEL Type: National - TWA: 300 mg/m³, 50 ppm - Notes: Germany
- OEL Type: National - TWA: 300 mg/m³ - STEL: 900 mg/m³ - Notes: Poland
- OEL Type: National - TWA: 150 mg/m³, 25 ppm - STEL: 300 mg/m³, 50 ppm - Notes: Sweden
- OEL Type: National - TWA: 300 mg/m³, 50 ppm - STEL: 600 mg/m³, 100 ppm - Notes: Switzerland
- OEL Type: National - TWA: 300 mg/m³ - STEL: 900 mg/m³ - Notes: Poland (NDS, NDSch)

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

- OEL Type: National - TWA: 100 mg/m³, 17 ppm - Notes: ExxonMobil
- OEL Type: MAK - TWA: 50 mg/m³, 10 ppm - Notes: Ireland

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-, N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1-méthylamine and N,N-Bis(2-ethylhexyl)-5-méthyl-1H-benzotriazole-1-méthylamine

- OEL Type: TWA - TWA: 1 mg/m³ - Notes: Inhalable

DNEL Exposure Limit Values

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

Worker Industry: 12.5 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 150 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 7.5 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 32 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 7.5 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-, N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1-méthylamine and

Safety Data Sheet

WADIS 24/60 - P10107

N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

Worker Industry: 1.3 mg/m³ - Consumer: 0.3 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 0.4 mg/kg - Consumer: 0.2 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Consumer: 0.2 - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 1.3 mg/m³ - Consumer: 0.3 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 0.4 mg/kg - Consumer: 0.2 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-,

N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1-méthylamine and

N,N-Bis(2-ethylhexyl)-5-méthyl-1H-benzotriazole-1-méthylamine

Target: Fresh Water - Value: 0.000976 mg/l

Target: Marine water - Value: 0.000098 mg/l

Target: Microorganisms in sewage treatments - Value: 0.69 mg/l

Target: Freshwater sediments - Value: 0.0121 mg/kg - Notes:: 0,0121 - 4,23 mg/kg

Target: Marine water sediments - Value: 0.00121 mg/kg - Notes:: 0,00121 - 0,423 mg/kg

Target: Soil - Value: 0.00184 mg/kg - Notes:: 0,00184 - 0,842 mg/kg

Target: Sporadic discharge - Value: 0.00976 mg/l

Target: Sewage treatment plant - Value: 0.69 mg/l

Appropriate engineering controls:

None

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type: NF EN374

NBR (nitrile rubber).

PVA (Polyvinyl alcohol).

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. Physical and chemical properties

Safety Data Sheet

WADIS 24/60 - P10107

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Brown	--	--
Odour:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	N.A.	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	180 °C	--	--
Flammability:	The product is classified: Combustible liquid.	--	--
Flash point (°C):	62°C	EN ISO 13736	--
Upper/lower flammability or explosive limits:	0.6-14%	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	0.83	ISO 649, ASTM D1298	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	>200°C	--	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Safety Data Sheet

WADIS 24/60 - P10107

Decomposition temperature:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

SECTION 10: Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD Test Guideline 401

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD Test Guideline 402

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 5000 mg/m3 - Duration: 4h

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 2 mg/l

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-,

Safety Data Sheet

WADIS 24/60 - P10107

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and
N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2.000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2.000 mg/kg

If not differently specified, the information listed below must be considered as non applicable:

Acute toxicity;
Skin corrosion/irritation;
Serious eye damage/irritation;
Respiratory or skin sensitisation;
Germ cell mutagenicity;
Carcinogenicity;
Reproductive toxicity;
STOT-single exposure;
STOT-repeated exposure;
Aspiration hazard.

12. Ecological information

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

a) Aquatic acute toxicity:

Endpoint: NOEC - Species: Pseudokirchneriella subcapitata (green algae) > 1000 mg/l -

Duration h: 72 - Notes: OECD Test Guideline 201

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: OECD Test Guideline 202

Endpoint: LC50 - Species: Rainbow Trout (Oncorhynchus mykiss) > 1000 mg/l - Duration h: 96 - Notes: OECD Test Guideline 203

b) Aquatic chronic toxicity:

Endpoint: NOAEL - Species: Daphnia = 0.18 mg/l - Duration h: 504 - Notes: Daphnia magna

Endpoint: NOAEL - Species: Fish = 0.10 mg/l - Duration h: 672 - Notes: Oncorhynchus mykiss

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

a) Aquatic acute toxicity:

Endpoint: EL50

- Species: Crustacea >= 3 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EL50

- Species: Crustacea <= 10 mg/kg/d - Duration h: 48 - Notes: Daphnia magna

Endpoint: LL50

- Species: Fish >= 2 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: LL50

- Species: Fish < 5 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Safety Data Sheet

WADIS 24/60 - P10107

Endpoint: NOELR - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Pseudokirchnerella subcapitata

Endpoint: EL50

- Species: Algae = 11 mg/l - Duration h: 72 - Notes: Pseudokirchnerella subcapitata

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Truite arc-en-ciel

Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Truite arc-en-ciel

Endpoint: LC0 - Species: Fish > 10000 mg/kg/d - Duration h: 96 - Notes: Cyprinodon variegatus

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Cladocère

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Selenestrum capricornutum

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-, N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1- méthylamine and N,N-Bis(2-ethylhexyl)-5-méthyl-1H-benzotriazole-1-méthylamine

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1.3 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 1.4 mg/l - Duration h: 24

Endpoint: EC50 - Species: Algae = 0.976 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus, taux de croissance

Endpoint: EC10 - Species: Algae = 0.658 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus, taux de croissance

c) Bacteria toxicity:

Species: bacteria = 69 mg/l - Duration h: 3 - Notes: CI50

Persistence and degradability

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Biodegradability: Biodegradability rate - Test: OECD 301F - Duration: 28 days - %: 80

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE

Biodegradability: Biodegradability rate - Duration: 28 days - %: 50

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Biodegradability: Oxygen depletion - %: 8

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-méthyl-, N,N-Bis(2-ethylhexyl)-4-méthyl-1H-benzotriazole-1- méthylamine and N,N-Bis(2-ethylhexyl)-5-méthyl-1H-benzotriazole-1-méthylamine

Biodegradability: Non-readily biodegradable

Bioaccumulative potential

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Potentially bioaccumulative.

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Log Kow 26.22

Safety Data Sheet

WADIS 24/60 - P10107

Mobility in soil

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Floats on the water. Adsorption in soil, low mobility.

Other adverse effects

Deutsche Verordnung zur Klassifizierung der Wasserfährdung (WGK) : WGK2

13. Disposal considerations

Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

14. Transport information

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group, if applicable

N.A.

Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Special precautions for user

N.A.

Transport in bulk according to IMO instruments

N.A.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question.

This Safety Data Sheet has been prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Seventh revised edition.

International Inventories:

The substances are listed or exempted from registration in the following international inventories:

AICS - Australian Inventory of Chemical Substances

Canada (DSL): All the substances of this product are listed on the DSL list.

IECSC - Inventory of Existing Chemical Substances Produced or Imported in China

Japan (ENCS) - Japanese Existing and New Chemical Substances Inventory

KECI - Korean Existing Chemical Inventory

NZIoC - New Zealand Inventory of Chemicals

Safety Data Sheet

WADIS 24/60 - P10107

PICCS - Philippine Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

TSCA - Toxic Substances Control Act

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

HYDROCARBONS, C10, AROMATICS, <1% NAPHTALENE (CAS: 64742-94-5)

HYDROCARBONS, C10-C13, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS (CAS: 64742-48-9)

16. Other information

This document was prepared by a competent person who has received appropriate training. Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

Safety Data Sheet

WADIS 24/60 - P10107

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet date: 13/1/2023, version 1